
IN THE DRAWINGS:

The drawings have been corrected as requested by the Examiner.



IDLE 300 NON-DIRTY **VICTIM** TWW **RLU** <u>330</u> <u>310</u> DATA READ REPLACEMENT HIT **DIRTY VICTIM** MISS **EVIÇT** TI 340 <u>320</u> WRITE (L1 EVICTION) SNOOP **CACHE WB INVALID** MI\$\$/ **PROBE** INVALIDATE VICTIM MODIFIED TRR ΤI . 350 <u>370</u> VALID VICTIM E STATE NON G2S SNOOP LOWER RFO OR SNOOP CACHE CONFIRM INVALIDATE TW W/O DATA TW <u>360</u> 380 **SNOOP CONFIRM** WITH DATA FIG. 2 TWR <u>390</u>

IDLE <u>400</u> **NON-DIRTY** VICTIM TWW · RLU <u>430</u> <u>410</u> READ DATA REPLACEMENT DIRTY VICTIM **EVICT** MISS TI <u>440</u> 420 WRITE (L1 EVICTION) HİT **CACHE WB** INVALID INVALIDATE VICTIM-DW TRR <u>450</u> <u>450</u> **VALID VICTIM** MISS/ SNOOP CACHE MODIFIED **PROBE** TI INVALIDATE TWI <u>470</u> <u>460</u> **ESTATE** NON G2S SNOOP SNOOP SNOOP CONFIRM **CONFIRM** WITH DATA **TWR** W/O DATA TWI <u>490</u> 480 LOWER R<u>F</u>O TW FIG. 3 500

